

DATA SHEET

FortiGate® 500E Series

FortiGate 500E and 501E

Next Generation Firewall Secure SD-WAN Secure Web Gateway



The FortiGate 500E series delivers next generation firewall (NGFW) capabilities for mid-sized to large enterprises deployed at the campus or enterprise branch level. Protects against cyber threats with high-powered security processors for optimized network performance, security efficacy and deep visibility. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Center
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
36 Gbps	7.9 Gbps	5 Gbps	4.7 Gbps	Multiple GE RJ45, GE SFP and 10 GE SFP+ Slots

Deployment



Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industryvalidated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering and optimization
- Multi-cloud access for faster SaaS adoption with end-toend optimization
- Simplification with zero touch deployment and centralized management with auto-provisioning, analytics and reporting
- Strong security posture with next generation firewall and realtime threat protection




Secure Web Gateway (SWG)


- Secure web access from both internal and external risks, even for encrypted traffic at high performance
- Enhanced user experience with dynamic web and video caching
- Block and control web access based on user or user groups across URL's and domains
- Prevent data loss and discover user activity to known and unknown cloud applications
- Block DNS requests against malicious domains
- Multi-layered advanced protection against zero-day malware threats delivered over the web



FortiGate 500E SWG deployment



FortiGate 500E deployment in Campus (NGFW)



FortiGate 500E deployment in Enterprise Branch (Secure SD-WAN)



Hardware

FortiGate 500E/501E







Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports

- 4. 8x GE RJ45 Ports
- 5. 8x GE SFP Slots
- 6. 2x 10 GE SFP+ Slots

Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP, and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:


- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

Fortinet Security Fabric

Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threats



FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

2 8 8 2 2 1 1 - 2x SFP (S) 7.9 Gt 5 Gbp 4.7 Gt	ops os ops		
8 8 8 2 2 2 1 1 - 2 2x SFP (S) 7.9 Gi 5 Gbp 4.7 Gi 36 / 36 / 36 / 36 / 2	X 1 GE) ops os ops		
8 8 2 2 1 1 - 2 2x SFP (S) 7.9 Gt 5 Gbp 4.7 Gt 36 / 36 / 36 / 36 / 2	X 1 GE) ops os ops		
2 2 1 1 - 2x SFP (S) 7.9 Gt 5 Gbp 4.7 Gt 36 / 36 / 36 / 2	X 1 GE) ops os ops		
2 1 1 - 2x SFP (S) 7.9 Gt 5 Gbp 4.7 Gt 36 / 36 / 36 / 2	X 1 GE) ops os ops		
1 2x SFP (S) 7.9 Gk 5 Gbp 4.7 Gt 36 / 36 / 2	X 1 GE) ops os ops		
1 2x SFP (S) 7.9 Gk 5 Gbp 4.7 Gt 36 / 36 / 2	X 1 GE) ops os ops		
7.9 Gi 5 Gbj 4.7 Gi 36 / 36 / 2	X 1 GE) ops os ops		
7.9 Gi 5 Gbj 4.7 Gi 36 / 36 / 2	ops os ops		
5 Gb _l 4.7 Gt 36 / 36 / 2	os ops		
5 Gb _l 4.7 Gt 36 / 36 / 2	os ops		
5 Gb _l 4.7 Gt 36 / 36 / 2	os ops		
4.7 Gt 36 / 36 / 2	ops		
	22 Gbps		
	22 Gbps		
36 / 36 / 2			
36 / 36 / 22 Gbps			
2 μs			
33 Mpps			
8 Million			
300,000			
10,000			
20 Gb	ps		
2,00	0		
50,00	00		
5 Gbr	 OS		
10,00	00		
5.7 Gb	ops		
3,50	0		
800,0	00		
14 Gb	ps		
18 Gb	ps		
10 / 1	10		
72	256		
72 512 / 2	0		
	2.000		
	3,50 800,0 14 Gb 18 Gb 10 / 72 512 / 3		

	FORTIGATE 500E	FORTIGATE 501E	
Dimensions and Power			
Height x Width x Length (inches)	1.75 x 17	'.0 x 15.0	
Height x Width x Length (mm)	x Width x Length (mm) 44.45 x 432 x 380		
Weight	16.1 lbs (7.3 kg)	16.6 lbs (7.5 kg)	
Form Factor (supports EIA / non-EIA standards)	Rack Mo	unt, 1 RU	
Power Consumption (Average / Maximum)	95 W / 193 W	105 W / 200 W	
Power Input	100–240V, 50–60Hz		
Current (Maximum)	6A		
Heat Dissipation	613 BTU/h		
Redundant Power Supplies (Hot Swappable)	optional		
Operating Environment and Certifications			
Operating Temperature	32-104°F (0-40°C)		
Storage Temperature	-31-158°F	(-35–70°C)	
Humidity	10-90% nor	n-condensing	
Noise Level	43	dBA	
Operating Altitude	Up to 7,400	ft (2,250 m)	
Compliance		CM, VCCI, CE, UL/cUL, CB	
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-\ USGv6/IPv6		

- Note: All performance values are "up to" and vary depending on system configuration.

 1. IPsec VPN performance test uses AES256-SHA256.

 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.

 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

- NGFW performance is measured with Firewall, IPS, and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Order Information

Product	SKU	Description
FortiGate 500E	FG-500E	2x 10 GE SFP+ slots, 10x GE RJ45 ports (including 1x MGMT port, 1x HA port, 8x switch ports), 8x GE SFP slots, SPU NP6 and CP9 hardware accelerated.
FortiGate 501E	FG-501E	2x 10 GE SFP+ slots, 10x GE RJ45 ports (including 1x MGMT port, 1x HA port, 8x switch ports), 8x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 2x 240 GB onboard SSD storage.
Optional Accessories		
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Optional Power Supply	SP-FG300E-PS	AC power supply for FG-300/301E and FG-500/501E.

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	Unified Threat Protection	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiGuard IoT Detection Service ²	•	•		
FortiConverter Service	•	•		
IPAM Cloud ²	•			
SD-WAN Orchestrator Entitlement ²	•			
SD-WAN Cloud Assisted Monitoring	•			
SD-WAN Overlay Controller VPN Service	•			
FortiAnalyzer Cloud	•			
FortiManager Cloud	•			

1.24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.4



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and Certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrant that the identified product will perform according to certain expressly elemtified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT5H2 FG-500E-DAT-R20-202006



DATA SHEET

FortiGate® 400E Series

FortiGate 400E, 401E and 401E-DC

Next Generation Firewall Secure SD-WAN Secure Web Gateway



The FortiGate 400E series delivers next generation firewall (NGFW) capabilities for mid-sized to large enterprises deployed at the campus or enterprise branch level. Protects against cyber threats with high-powered security processors for optimized network performance, security efficacy and deep visibility. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Center
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
32 Gbps	7.8 Gbps	6 Gbps	5 Gbps	Multiple GE RJ45 and GE SFP Slots DC Variant

Deployment



Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industryvalidated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering and optimization
- Multi-cloud access for faster SaaS adoption with end-toend optimization
- Simplification with zero touch deployment and centralized management with auto-provisioning, analytics and reporting
- Strong security posture with next generation firewall and realtime threat protection




Secure Web Gateway (SWG)


- Secure web access from both internal and external risks, even for encrypted traffic at high performance
- Enhanced user experience with dynamic web and video caching
- Block and control web access based on user or user groups across URL's and domains
- Prevent data loss and discover user activity to known and unknown cloud applications
- Block DNS requests against malicious domains
- Multi-layered advanced protection against zero-day malware threats delivered over the web



FortiGate 400E SWG deployment



FortiGate 400E deployment in Campus




FortiGate 400E deployment in Enterprise Branch (Secure SD-WAN)



Hardware

FortiGate 400E/401E








Interfaces

- 1. USB Ports
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports

- 4. 16x GE RJ45 Ports
- 5. 16x GE SFP Slots

Powered by SPU





- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP, and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading




Fortinet Security Fabric

Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threats



FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

_	FORTIGATE 400E FORTIGATE 401E/-DC		
Interfaces and Modules			
GE RJ45 Interfaces	16		
GE SFP Slots	16		
GE RJ45 Management Ports	2		
USB Ports	2		
RJ45 Console Port	1		
Local Storage	– 2x 240 GB SSD		
Included Transceivers	2x SFP (SX 1 GE)		
System Performance — Enterprise Traffic Mix			
IPS Throughput ²	7.8 Gbps		
NGFW Throughput ^{2,4}	6 Gbps		
Threat Protection Throughput ^{2,5}	5 Gbps		
System Performance and Capacity			
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 24 Gbps		
IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 24 Gbps		
Firewall Latency (64 byte, UDP)	3 µs		
Firewall Throughput (Packet per Second)	36 Mpps		
Concurrent Sessions (TCP)	4 Million		
New Sessions/Second (TCP)	450,000		
Firewall Policies	10,000		
IPsec VPN Throughput (512 byte) 1	20 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	2,000		
Client-to-Gateway IPsec VPN Tunnels	50,000		
SSL-VPN Throughput	4.5 Gbps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	5,000		
SSL Inspection Throughput (IPS, avg. HTTPS) 3	4.8 Gbps		
SSL Inspection CPS (IPS, avg. HTTPS) ³	4,000		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	300,000		
Application Control Throughput (HTTP 64K) ²	12 Gbps		
CAPWAP Throughput (1444 byte, UDP)	14.8 Gbps		
Virtual Domains (Default / Maximum)	10 / 10		
Maximum Number of FortiSwitches Supported	72		
Maximum Number of FortiAPs (Total / Tunnel)	512 / 256		
Maximum Number of FortiTokens	5,000		
High Availability Configurations	Active-Active, Active-Passive, Clustering		

	FORTIGATE 400E	FORTIGATE 401E/-DC
Dimensions and Power		
Height x Width x Length (inches)	1.75 x 1	17.0 x 15.0
Height x Width x Length (mm)	44.45 x	432 x 380
Weight	16.4 lbs (7.4 kg)	16.9 lbs (7.9 kg)
Form Factor (supports EIA / non-EIA standards)		lount, 1 RU
AC Power Consumption (Average / Maximum)	109W / 214W	115W / 221W
AC Power Input	100_240\	/ AC, 50/60Hz
AC Current (Maximum)		
DC Power Input	-48V to -60V	
DC Current (Maximum)	11.5A	
DC Current (Nominal)	4.6A	
DC Power Consumption (Average / Maximum)	115W / 221\	
Heat Dissipation	730 BTU/h 754 BTU/h	
Redundant Power Supplies (Hot Swappable)	Ot.	otional
Operating Environment and Certifications		
Operating Temperature	32-1049	°F (0-40°C)
Storage Temperature	-31-158°	F (-35–70°C)
Humidity	10-90% n	on-condensing
Noise Level	48	3 dBA
Operating Altitude	I In to 7 40	0 ft (2,250 m)
Compliance		RCM, VCCI, CE, UL/cUL, CB
Certifications		sec, IPS, Antivirus, SSL-VPN; 3v6/IPv6
	09/	JVU/11 VU

- Note: All performance values are "up to" and vary depending on system configuration.

 1. IPsec VPN performance test uses AES256-SHA256.

 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.

 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

- NGFW performance is measured with Firewall, IPS, and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Order Information

Product	SKU	Description
FortiGate 400E	FG-400E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated.
FortiGate 401E	FG-401E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 2x 240 GB onboard SSD storage.
FortiGate 401E-DC	FG-401E-DC	18 x GE RJ45 ports (including 1 x MGMT port, 1 X HA port, 16 x switch ports), 16 x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 2x 240GB onboard SSD storage, 1 DC power supply
Optional Accessories		
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
Optional Power Supply	SP-FG300E-PS	AC power supply for FG-300/301E, FG-400/401E, FG-500/501E, FG-600/601E, FAZ-200F/300F/800F and FMG-200F/300F.
DC Power Supply	SP-FG300E-DC-PS	DC power supply for FG-401E-DC and FG-1100E-DC

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	Unified Threat Protection	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiGuard IoT Detection Service ²	•	•		
FortiConverter Service	•	•		
IPAM Cloud ²	•			
SD-WAN Orchestrator Entitlement ²	•			
SD-WAN Cloud Assisted Monitoring	•			
SD-WAN Overlay Controller VPN Service	•			
FortiAnalyzer Cloud	•			
FortiManager Cloud	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.4



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and Certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrant that the identified product will perform according to certain expressly identified or operformance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT4H FG-400E-DAT-R10-2020006



DATA SHEET

FortiGate® 300E Series

FortiGate 300E and 301E

Next Generation Firewall Secure SD-WAN Secure Web Gateway



The FortiGate 300E series delivers next generation firewall (NGFW) capabilities for mid-sized to large enterprises deployed at the campus or enterprise branch level. Protects against cyber threats with high-powered security processors for optimized network performance, security efficacy and deep visibility. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Conter
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
32 Gbps	5 Gbps	3.5 Gbps	3 Gbps	Multiple GE RJ45 and GE SFP Slots

Deployment



Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industryvalidated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering and optimization
- Multi-cloud access for faster SaaS adoption with end-toend optimization
- Simplification with zero touch deployment and centralized management with auto-provisioning, analytics and reporting
- Strong security posture with next generation firewall and realtime threat protection




Secure Web Gateway (SWG)


- Secure web access from both internal and external risks, even for encrypted traffic at high performance
- Enhanced user experience with dynamic web and video caching
- Block and control web access based on user or user groups across URL's and domains
- Prevent data loss and discover user activity to known and unknown cloud applications
- Block DNS requests against malicious domains
- Multi-layered advanced protection against zero-day malware threats delivered over the web



FortiGate 300E SWG deployment



FortiGate 300E deployment in Campus (NGFW)



FortiGate 300E deployment in Enterprise Branch (Secure SD-WAN)



Hardware

FortiGate 300E/301E







Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports

- 4. 16x GE RJ45 Ports
- 5. 16x GE SFP Slots

Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP, and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:


- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

Fortinet Security Fabric

Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threats



FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

	FORTIGATE 300E	FORTIGATE 301E		
Interfaces and Modules				
GE RJ45 Interfaces	16	16		
GE SFP Slots	16			
GE RJ45 Management Ports	2			
USB Ports	2			
RJ45 Console Port	1			
Local Storage	_	2x 240 GB SSD		
Included Transceivers	2x SFP (SX 1 GE)			
System Performance — Enterprise Traffic Mix				
IPS Throughput ²	5 Gb	ps		
NGFW Throughput ^{2, 4}	3.5 G	bps		
Threat Protection Throughput 2,5	3 Gb			
System Performance and Capacity				
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 20 Gbps			
IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP)	32 / 32 / 20 Gbps			
Firewall Latency (64 byte, UDP)	3 µs			
Firewall Throughput (Packet per Second)	30 Mpps			
Concurrent Sessions (TCP)	4 Million			
New Sessions/Second (TCP)	300,0	000		
Firewall Policies	10,0	00		
IPsec VPN Throughput (512 byte) 1	20 G	20 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	2,00	00		
Client-to-Gateway IPsec VPN Tunnels	50,0	00		
SSL-VPN Throughput	2.5 G	bps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	5,00	00		
SSL Inspection Throughput (IPS, avg. HTTPS) ³	3.9 G	hns		
SSL Inspection CPS (IPS, avg. HTTPS) ³	2,50			
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	340,0			
Application Control Throughput (HTTP 64K) ²	7 Gb	nns		
CAPWAP Throughput (1444 byte, UDP)	5 Gb			
Virtual Domains (Default / Maximum)	10 /			
Maximum Number of FortiSwitches Supported				
Maximum Number of FortiAPs (Total / Tunnel)		512 / 256		
Maximum Number of FortiTokens	<u> </u>			
	5,000 Active-Active, Active-Passive, Clustering			
High Availability Configurations	-rassive, Glustelliy			

	FORTIGATE 300E	FORTIGATE 301E		
Dimensions and Power				
Height x Width x Length (inches)	1.75 x 17.0 x 15.0			
Height x Width x Length (mm)	44.45 x 432 x 380			
Weight	16.1 lbs (7.3 kg)	16.6 lbs (7.6 kg)		
Form Factor (supports EIA / non-EIA standards)	Rack Mount, 1 RU			
Power Consumption (Average / Maximum)	90 W / 173 W 95 W / 180 W			
Power Input	100V-240V AC, 50-60Hz			
Current (Maximum)	6A			
Heat Dissipation	570 BTU/h	614 BTU/h		
Redundant Power Supplies (Hot Swappable)	optional			
Operating Environment and Certifications				
Operating Temperature	32-104°F (0-40°C)			
Storage Temperature	-31–158°F (-35–70°C)			
Humidity	10-90% non-condensing			
Noise Level	48 dBA			
Operating Altitude	Up to 7.400 ft (2.250 m)			
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB			
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN;			
	USG	v6/IPv6		

- Note: All performance values are "up to" and vary depending on system configuration.

 1. IPsec VPN performance test uses AES256-SHA256.

 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.

 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

- NGFW performance is measured with Firewall, IPS, and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Order Information

Product	SKU	Description
FortiGate 300E	FG-300E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated.
FortiGate 301E	FG-301E	18x GE RJ45 ports (including 1x MGMT port, 1x HA port, 16x switch ports), 16x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 480 GB onboard SSD storage.
Optional Accessories		
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
Optional Power Supply	SP-FG300E-PS	AC power supply for FG-300/301E and FG-500/501E.

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	Unified Threat Protection	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiGuard IoT Detection Service ²	•	•		
FortiConverter Service	•	•		
IPAM Cloud ²	•			
SD-WAN Orchestrator Entitlement ²	•			
SD-WAN Cloud Assisted Monitoring	•			
SD-WAN Overlay Controller VPN Service	•			
FortiAnalyzer Cloud	•			
FortiManager Cloud	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.4



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and Certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrant that the identified product will perform according to certain expressly identified or operformance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT3H2 FG-300E-DAT-R19-202006