


DATA SHEET

FortiGate® 6000F Series

FortiGate 6300F, 6301F, 6500F, and 6501F

Next Generation Firewall Segmentation IPS Mobile Security





The FortiGate 6000F series delivers high performance next generation firewall (NGFW) capabilities for large enterprises and service providers. With multiple high-speed interfaces, high-port density, and high-throughput, ideal deployments are at the enterprise edge, hybrid data center core, and across internal segments. Leverage industry-leading IPS, SSL inspection, and advanced threat protection to optimize your network's performance. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Center
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Model	FG-6300F/6301F	FG-6500F/6501F
Firewall	239 Gbps	239 Gbps
IPS	110 Gbps	170 Gbps
NGFW	90 Gbps	150 Gbps
Threat Protection	60 Gbps	100 Gbps
Network Interfaces	Multiple 40/100 GE QSFP28, 1/10/25 GE SFP28,	Multiple 40/100 GE QSFP28, 1/10/25 GE SFP28,
	1/10 GE SFP+ and GE RJ45	1/10 GE SFP+ and GE RJ45

Deployment



Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with Industryvalidated IPS security effectiveness, low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric



Segmentation

- Segmentation that adapts to any network topology, delivering end-to-end security from the branch level to data centers and extending to multiple clouds
- Reduce security risks by improving network visibility from the components of the Fortinet Security Fabric, which adapt access permissions to current levels of trust and enforce access control effectively and efficiently
- Delivers defense in depth security powered by high-performance
 L7 inspection and remediation by Fortinet's SPU, while delivering
 third party validated TCO of per protected Mbps
- Protects critical business applications and helps implement any compliance requirements without network redesigns




IPS

- Purpose-built security processors delivering industry validated
 IPS performance with high throughput and low latency
- Deploy virtual patches at the network level to protect against network exploitable vulnerabilities and optimize network protection time
- Deep packet inspection at wire speeds offers unparalleled threat visibility into network traffic including traffic encrypted with the latest TLS 1.3
- Proactively block newly discovered sophisticated attacks in realtime with advanced threat protection provided by the intelligence services of the Fortinet Security Fabric



Mobile Security for 4G, 5G, and IOT

- SPU accelerated, high performance CGNAT and IPv4 and IPv6 traffic, for 4G SGi LAN and 5G N6 security
- RAN Access Security with highly scalable and best performing IPsec aggregation and control security gateway (SecGW)
- User plane security enabled by full Threat Protection and visibility into GTP-U inspection
- 4G and 5G security for user and data plane traffic SCTP, GTP-U/C and SIP that provides protection against attacks
- 4G and 5G cores IoT signaling storm protection
- High-speed interfaces to enable deployment flexibility





FortiGate 6000F deployment in data center (NGFW and IPS, Intent-based Segmentation)



Hardware

FortiGate 6300F/6301F/6500F/6501F








Interfaces

- 1. Console Port
- 2. USB Port
- 3. 2x GE RJ45, 1x 1/10 GE SFP+ Management Ports
- 4. 2x 10 GE SFP+ HA Slots
- 5. 24x 1/10/25 GE SFP28 Slots
- 6. 4x 40/100 GE QSFP28 Slots

Powered by SPU





- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP, and multicast traffic with ultra-low latency down to 2 microseconds
- VPN and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at SPU
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

Distribution Processor

Fortinet's SPU DP3 distribution processor provides hardware load balancing for traffic to multiple processing units.



Fortinet Security Fabric

Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threats

Network Access Secure WLAN/LAN Endpoint Security Operations

FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

	FG-6300F/6301F	FG-6500F/6501F		
Interfaces and Modules				
40/100 GE QSFP28 Slots	4			
1/10/25 GE SFP28 Slots	24			
10 GE SFP+ Slots	3			
GE RJ45 Management Ports	2			
USB Ports	1			
Console Port	1			
Internal Storage	2x 1 TB NVMe (for 6301F and 6501F only)			
Included Transceivers	2x SFP+ (SR 10 GE)			
System Performance — Enterprise Traffic Mix				
IPS Throughput ²	110 Gbps	170 Gbps		
NGFW Throughput 2,4	90 Gbps	150 Gbps		
Threat Protection Throughput ^{2,5}	60 Gbps	100 Gbps		
System Performance and Capacity				
Firewall Throughput (1518 / 512 / 64 byte, UDP)	239 / 238 / 135 Gbps	239 / 238 / 135 Gbps		
Firewall Latency (64 byte, UDP)	5 μs	5 µs		
Firewall Throughput (Packet per Second)	202.5 Mpps	202.5 Mpps		
Concurrent Sessions (TCP)	120 Million	200 Million		
New Sessions/Sec (TCP)	2 Million 3 Millior			
Firewall Policies	200,000 200,000			
IPsec VPN Throughput (512 byte) 1	96 Gbps 160 Gbps			
Gateway-to-Gateway IPsec VPN Tunnels	16,000 16,000			
Client-to-Gateway IPsec VPN Tunnels	90,000	90,000		
SSL-VPN Throughput	9 Gbps	9 Gbps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	30,000	30,000		
SSL Inspection Throughput (IPS, avg. HTTPS) 3	66 Gbps	110 Gbps		
SSL Inspection CPS (IPS, avg. HTTPS) 3	30,000	50,000		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	10 Million 18 Millio			
Application Control Throughput (HTTP 64K) ²	150 Gbps	220 Gbps		
CAPWAP Throughput (1444 byte, UDP)	N/A N/A			
Virtual Domains (Default / Maximum)	10 / 500			
Maximum Number of FortiSwitches Supported	256			
Maximum Number of FortiAPs (Total / Tunnel Mode)	N/A			
High Availability Configurations	Supported			

	FG-6300F/6301F	FG-6500F/6501F	
Dimensions and Power			
Height x Width x Length (inches)	5.20 x 17.20 x 26.18	5.3 x 17.2 x 27.3	
Height x Width x Length (mm)	132 x 437 x 665	133 x 437 x 694	
Weight	67.68 lbs (30.7 kg) /	(0/	
	69.00 lbs (31.3 kg)	79.59 lbs (36.1 kg)	
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 3 RU		
AC Power Supply	100-240V AC, 50-60 Hz		
Power Consumption (Average / Maximum)	, , ,	(1,308 / 1,548 W) /	
	(977 / 1,237 W)	(1,328 / 1,568 W)	
Current (Maximum)	30A@100VAC, 20A@240VAC		
Heat Dissipation	4,153 / 4,221 BTU/h	5,282 / 5,350 BTU/h	
Redundant Power Supplies	2+1 Redundant, Hot Swappable		
Operating Environment and Certifications			
Operating Temperature	32-104°F (0-40°C)		
Storage Temperature	-31-158°F (-35-70°C)		
Humidity	10-90% non-condensing		
Noise Level	57.43 dBA		
Operating Altitude	Up to 7,400 ft (2,250 m)		
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB		

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- 4. NGFW performance is measured with Firewall, IPS, and Application Control enabled.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Order Information

Product	SKU	Description
FortiGate 6300F	FG-6300F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, and 3x AC power supplies.
FortiGate 6301F	FG-6301F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, 2x 1 TB NVMe, and 3x AC power supplies.
FortiGate 6500F	FG-6500F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, and 3x AC power supplies.
FortiGate 6501F	FG-6501F	4x 40/100 GE QSFP28 slots, 24x 1/10/25 GE SFP28 slots, 2x 1 GE RJ45 management ports, 2x 10 GE SFP+ HA ports, 1x 1/10 GE SFP+ management port, 2x 1 TB NVMe, and 3x AC power supplies.
Optional Accessories		
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Short Range	FG-TRAN-QSFP28-SR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, 4 Channel Parallel Fiber, Long Range	FG-TRAN-QSFP28-LR4	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FG-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FG-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
10 GE/25 GE SFP28 Transceiver Module, Short Range	FG-TRAN-SFP28-SR	10 GE/25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10GBase-ER SFP+ Transceiver Module	FS-TRAN-SFP+ER	10GBase-ER SFP+ transceiver module for FortiSwitch and FortiGate, 1550nm. Single Mode. 40km range for systems with SFP+ slots.
AC Power Supply	FG-7040E-PS-AC	1500 W AC power supply module for FG-7030E, FG-7040E, FG-6300/6301F, FG-6500/6501F, FG-3960E, FG-3980E (not compatible for use with FG-7060E).

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring ²	•			
SD-WAN Overlay Controller VPN Service ²	•			
FortiAnalyzer Cloud ²	•			
FortiManager Cloud ²	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Councils, with a purches, what has presented and present the extent Fortinet enters a binding or protrinet enters and in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT6K FG-6000F-DAT-R14-202004